AGIROSSI GMBH
INDUSTRIE- & MOBILHYDRAULIK

# Accessory

## Trunnion Bracket






Edition 1/2021

# Trunnion Bracket






ISO 8132
Material: S355JR
Bush RG7

| Code | CR H7 | FK js12 | FN max | HB H13 | NH max | TH js14 | UL max | CO N9 | KC +0,3 | FS js14 | FH | Nominal Force kN | Weight per pair kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TB12 | 12 | 34 | 49 | 9 | 17 | 40 | 63 | 10 | 3,3 | 8 | 25 | 8 | 0,46 |
| TB16 | 16 | 40 | 59 | 11 | 21 | 50 | 80 | 16 | 4,3 | 10 | 30 | 12,5 | 0,83 |
| TB20 | 20 | 45 | 69 | 11 | 21 | 60 | 90 | 16 | 4,3 | 10 | 38 | 20 | 1,21 |
| TB25 | 25 | 55 | 80 | 13,5 | 26 | 80 | 110 | 25 | 5,4 | 12 | 45 | 32 | 2,15 |
| TB32 | 32 | 65 | 100 | 17,5 | 33 | 110 | 150 | 25 | 5,4 | 15 | 52 | 50 | 4,63 |
| TB40 | 40 | 76 | 120 | 22 | 41 | 125 | 170 | 36 | 8,4 | 16 | 60 | 80 | 7,78 |
| TB50 | 50 | 95 | 140 | 26 | 51 | 160 | 210 | 36 | 8,4 | 20 | 75 | 125 | 14,3 |
| TB63 | 63 | 112 | 177 | 33 | 61 | 200 | 265 | 50 | 11,4 | 25 | 85 | 200 | 23,4 |
| TB80 | 80 | 140 | 220 | 39 | 81 | 250 | 325 | 50 | 11,4 | 31 | 112 | 320 | 53,1 |

AGIROSSI GMBH
INDUSTRIE- & MOBILHYDRAULIK



The data given are for the purpose of describing the product only and are not to be regarded as assured characteristics in the case. We reserve the right to make changes without notice.

# Trunnion Bracket






Material: S355JR
Bush RG7

| Code | CR H7 | FK js12 | FN max | HB H13 | NH max | TH js14 | UL max | CO N9 | KC +0,3 | FS js14 | FH | Nominal Force kN | Weight per pair kg |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SD12 | 12 | 38 | 55 | 9 | 17 | 40 | 63 | 10 | 3,3 | 8 | 25 | 8 | 0,48 |
| SD16 | 16 | 45 | 65 | 11 | 21 | 50 | 80 | 16 | 4,3 | 10 | 30 | 12,5 | 0,87 |
| SD20 | 20 | 55 | 80 | 11 | 21 | 60 | 90 | 16 | 4,3 | 10 | 38 | 20 | 1,3 |
| SD25 | 25 | 65 | 90 | 14 | 26 | 80 | 110 | 25 | 5,4 | 12 | 45 | 32 | 2,35 |
| SD32 | 32 | 75 | 110 | 18 | 33 | 110 | 150 | 25 | 5,4 | 15 | 52 | 50 | 4,8 |
| SD40 | 40 | 95 | 140 | 22 | 41 | 125 | 170 | 36 | 8,4 | 16 | 60 | 80 | 8,1 |
| SD50 | 50 | 105 | 150 | 26 | 51 | 160 | 210 | 36 | 8,4 | 20 | 72 | 125 | 21,1 |
| SD63 | 63 | 125 | 195 | 33 | 61 | 200 | 265 | 50 | 11,4 | 25 | 87 | 200 | 31,3 |
| SD80 | 80 | 150 | 230 | 39 | 81 | 250 | 325 | 50 | 11,4 | 31 | 112 | 320 | 69,3 |
| SD100 | 100 | 200 | 300 | 52 | 101 | 320 | 410 | 63 | 12,4 | 42 | 150 | 500 | 112 |

AGIROSSI GMBH
INDUSTRIE- & MOBILHYDRAULIK



The data given are for the purpose of describing the product only and are not to be regarded as assured characteristics in the case. We reserve the right to make changes without notice.

**AGIROSSI GmbH**
Industrie- und Mobilhydraulik
Große Heide 13
D-55444 Waldlaubersheim
Tel.: +49-6707-9157515
Fax.: +49-6707-9157525
e-mail: info@agirossi.de
www.agirossi.de